Display energy certificate (DEC)

HM Government

Fleetville Infant and Nursery School
Fleetville Infant and Nursery School
Royal Road
St Albans
AL1 4LX

Operational rating

D

Certificate number:	0217-8815-5992-6796-4106
Valid until:	12 June 2026
Total useful floor area:	1,322.94 square metres

Energy performance operational rating

The building's energy performance operational rating is based on its carbon dioxide (CO2) emissions for the last year.

It is given a score and an operational rating on a scale from A (lowest emissions) to G (highest emissions).

The typical score for a public building is 100. This typical score gives an operational rating of D.



This building's energy use

Energy use	Electricity	Other fuels
Annual energy use (kWh/m2/year)	39.59	94.98
Typical energy use (kWh/m2/year)	40	134.59
Energy from renewables	0.0%	0.0%

Previous operational ratings

Date	Operational rating
June 2025	84 D
June 2024	75 C
June 2023	74 C

Total carbon dioxide (CO2) emissions

This tells you how much carbon dioxide the building emits. It shows tonnes per year of CO2.

Date	Electricity	Heating	Renewables
June 2025	29	24	0
June 2024	29	18	0
June 2023	26	21	0

Assessment details

Assessor's name	Alistair Alcock
Employer/Trading name	School Energy Matters Ltd.07795015118
Employer/Trading address	298 Church Rd Lytham St Annes FY8 3NR
Assessor's declaration	Contractor to the occupier for EPBD services only.
Accreditation scheme	Elmhurst Energy Systems Ltd
Issue date	1 July 2025
Nominated date	13 June 2025